

FINAL NEET (UG)2023 EXAMINATION

(Held On Sunday 7th MAY, 2023)

CHEMISTRY

Chemistry: Section-A (Q. No. 051 to 085)

51. Given below are two statements : one is labelled as

Assertion A and the other is labelled as Reason R:

Assertion A: Metallic sodium dissolves in liquid ammonia giving a deep blue solution, which is paramagnetic.

Reason R: The deep blue solution is due to the formation of amide.

In the light of the above statements, choose the **correct** answer from the options given below:

- Both A and R are true but R is NOT the correct explanation of A.
- (2) A is true but R is false
- (3) A is false but R is true
- (4) Both **A** and **R** are true and **R** is the correct explanation of **A**.

Ans. (2)

- **52.** The conductivity of centimolar solution of KCl at 25°C is 0.0210 ohm⁻¹ cm⁻¹ and the resistance of the cell containing the solution at 25°C is 60 ohm. The value of cell constant is -
 - (1) 3.28 cm⁻¹

(2) 1.26 cm⁻¹

(3) 3.34 cm⁻¹

(4) 1.34 cm⁻¹

Ans. (2)

- **53.** For a certain reaction, the rate = $k [A]^2 [B]$, when the initial concentration of A is tripled keeping concentration of B constant, the initial rate would
 - (1) increase by a factor of six
 - (2) increase by a factor of nine
 - (3) increase by a factor of three
 - (4) decrease by a factor of nine

Ans. (2)


TEST PAPER WITH ANSWER


54. Identify product (A) is the following reaction:

$$\begin{array}{c}
O \\
\hline
O \\
\hline
O \\
\hline
O \\
\hline
Conc.HCl
\end{array}$$

$$\begin{array}{c}
Zn-Hg \\
Conc.HCl
\end{array}$$

$$\begin{array}{c}
A) + 2H_2O$$







Ans. (4)

- **55.** Which one is an example of heterogenous catalysis?
 - (1) Hydrolysis of sugar catalysed by H⁺ ions.
 - Decomposition of ozone is presence of nitrogen monoxide.
 - (3) Combination between dinitrogen and dihydrogen to form ammonia in the presence of finely divided iron.
 - (4) Oxidation of sulphur dioxide into sulphur trioxide in the presence of oxides of nitrogen.

Ans. (3)

56. Given below are two statements : one is labelled as **Assertion A** and the other is labelled as **Reason R**.

Assertion A: Helium is used to dilute oxygen in diving apparatus.

Reasons R: Helium has high solubility in O_2 . In the light of the above statements, choose the **correct** answer from the options given below:

- (1) Both **A** and **R** are true but **R** is **NOT** the correct explanation of **A**.
- (2) A is true but R is false
- (3) \mathbf{A} is false but \mathbf{R} is true
- (4) Both A and R are true and R is the correct explanation of A.

Ans. (2)

57. Amongst the following, the total number of species NOT having eight electrons around central atom in its outer most shell, is

NH₃, AlCl₃, BeCl₂, CCl₄, PCl₅:

(1) 2

(2)4

(3) 1

(4) 3

Ans. (4)

- **58.** The **correct** order of energies of molecular orbitals of N_2 molecule, is
 - (1) $\sigma ls < \sigma^* ls < \sigma 2s < \sigma^* 2s < \sigma 2p_z < (\pi 2p_x = \pi 2p_y) < (\pi^* 2p_x = \pi^* 2p_y) < \sigma^* 2p_z$
 - (2) $\sigma ls < \sigma^* ls < \sigma 2s < \sigma^* 2s < \sigma 2p_z < \sigma^* 2p_z < (\pi 2p_x = \pi 2p_y) < (\pi^* 2p_x = \pi^* 2p_y)$
 - (3) $\sigma ls < \sigma^* ls < \sigma 2s < \sigma^* 2s < (\pi 2p_x = \pi 2p_y) < (\pi^* 2p_x = \pi^* 2p_y) < \sigma 2p_z < \sigma^* 2p_z$
 - (4) $\sigma ls < \sigma^* ls < \sigma 2s < \sigma^* 2s < (\pi 2p_x = \pi 2p_y) < \sigma^* 2p_z < (\pi^* 2p_x = \pi^* 2p_y) < \sigma^* 2p_z$

Ans. (4)

59. Match List-I with List-II.

List-I

List-II

- A. Coke
- I. Carbon atoms are sp³ hybridised
- B. Diamond
- II. Used as a dry lubricant
- C. Fullerene
- III. Used as a reducing agent
- D. Graphite
- IV. Cage like molecules

Choose the **correct** answer from the options given below:

- (1) A-IV, B-I, C-II, D-III
- (2) A-III, B-I, C-IV, D-II
- (3) A-III, B-IV, C-I, D-II
- (4) A-II, B-IV, C-I, D-III

Ans. (2)

- **60.** The number of σ bonds, π bonds and lone pair of electrons in pyridine, respectively are :
 - (1) 12, 3, 0
- (2) 11, 3, 1
- (3) 12, 2, 1
- (4) 11, 2, 0

Ans. (2)

- **61.** The element expected to form largest ion to achieve the nearest noble gas configuration is
 - (1) F

(2) N

(3) Na

(4) O

Ans. (2)

- **62.** Given below are two statements: one is labelled as
 - Assertion A and the other is labelled as Reason R.

Assertion A : A reaction can have zero activation energy.

Reasons R: The minimum extra amount of energy absorbed by reactant molecules so that their energy becomes equal to threshold value, is called activation energy.

In the light of the above statements, choose the correct answer from the options given below:

- (1) Both A and R are true but R is NOT the correct explanation of A.
- (2) A is true but R is false
- (3) A is false but R is true
- (4) Both **A** and **R** are true and **R** is the correct explanation of **A**.

Ans. (3)

63. Consider the following reaction and identify the product (P).

CH₃-CH-CH₃

$$\begin{array}{ccc}
 & | & | & \\
 & | & | & \\
 & CH_3 \text{ OH} & \xrightarrow{\text{HBr}} & \text{Product (P)}
\end{array}$$
3-Methylbutan-2-ol

- (1) CH₃CH=CH-CH₃

Ans. (4)



64. Given below are two statements: one is labelled as

Assertion A and the other is labelled as Reason R:

Assertion A: In equation $\Delta_r G = -nFE_{cell}$, value of $\Delta_r G$ depends on n.


Reasons R: E_{cell} is an intensive property and $\Delta_r G$ is an extensive property.


In the light of the above statements, choose the correct answer from the options given below:


- (1) Both **A** and **R** are true and **R** is **NOT** the correct explanation of **A**.
- (2) A is true but R is false
- (3) A is false but R is true
- (4) Both A and R are true and R is the correct explanation of A.


Ans. (4)

65. Which amongst the following options is correct graphical representation of Boyle's Law?









Ans. (1)

66. In Lassaigne's extract of an organic compound, both nitrogen and sulphur are present, which gives blood red colour with Fe³⁺ due to the formation of-

(1) NaSCN


(2) [Fe(CN)₅ NOS]⁴⁻


(3) $\left[\text{Fe}(\text{SCN}) \right]^{2+}$

(4) $\operatorname{Fe_4}[\operatorname{Fe}(\operatorname{CN_6})]_3.xH_2O$

Ans. (3)

67. Identify the product in the following reaction:





Ans. (1)

68. Select the **correct** Statements from the following:

A. Atoms of all elements are composed of two fundamental particles.

B. The mass of the electron is 9.10939×10^{-31} kg.

C. All the isotopes of a given elements show same chemical properties.

D. Protons and electrons are collectively known as nucleons.

E. Dalton's atomic theory, regarded the atom as an ultimate particle of matter.

Choose the **correct** answer from the options given below.

(1) C,D and E only

(2) A and E only

(3) B,C and E only

(4) A,B and C only

Ans. (3)

69. A compound is formed by two elements A and B. The elements B forms cubic close packed structure and atoms of A occupy 1/3 of tetrahedral voids. If the formula of the compound is $A_x B_y$, then the value of x + y is in option

(1) 4

(2) 3

(3)2

(4)5

Ans. (4)

70. Given below are two statements:

Statement I: A unit formed by the attachment of a base to l' position of sugar is known as nucleoside Statement II: When nucleoside is linked to

phosphorous acid at 5'-position of sugar moiety, we get nucleotide.

In the light of the above statements, choose the **correct** answer from the options given below:

- (1) Both Statement I and Statement II are false
- (2) Statement I is true but Statement II is false
- (3) Statement I is false but Statement II is true
- (4) Both Statement I and Statement II are true

Ans. (2)

71. Which amongst the following molecules polymerization produces neoprene?

(1)
$$H_2C = C - CH = CH_2$$

(2)
$$H_2C = CH - C = CH$$

(3)
$$H_2C = C - CH = CH_2$$

(4)
$$H_2C = CH - CH = CH_2$$

Ans. (1)

Taking stability as the factor, which one of the following represents correct relationship?

(1)
$$lnl_3 > lnl$$

(2) AlCl
$$>$$
 AlCl₃

$$(3) TII > TII_3$$

Ans. (3)

73. Some tranquilizers are listed below. Which one from the following belongs to barbiturates?

- (1) Meprobamate
- (2) Valium
- (3) Veronal
- (4) Chlordiazepoxide

Ans. (3)

74. Which of the following statements are NOT correct?

- A. Hydrogen is used to reduce heavy metal oxides to metals.
- B. Heavy water is used to study reaction mechanism.
- C. Hydrogen is used to make saturated fats from
- D. The H-H bond dissociation enthalpy is lowest as compared to a single bond between two atoms of any element.
- E. Hydrogen reduces oxides of metals that are more active than iron.

Choose the **most appropriate** answer from the options given below:

- (1) B,D only
- (2) D.E only
- (3) A,B,C only
- (4) B,C,D,E only

Ans. (2)

- 75. Intermolecular forces are forces of attraction and repulsion between interacting particles that will include:
 - A. dipole dipole forces.
 - B. dipole induced dipole forces
 - C. hydrogen bonding
 - D. covalent bonding
 - E. dispersion forces

Choose the most appropriate answer from the options given below:

- (1) A,B,C,D are correct (2) A,B,C,E are correct
- (3) A,C,D,E are correct (4) B,C,D,E are correct

Ans. (2)

- 76. Amongst the given options which of the following molecules/ion acts as a Lewis acid?
 - (1) H₂O
- (3) OH-
- (4) NH₃

Ans. (2)

77. The **right** option for the mass of CO, produced by heating 20 g of 20% pure limestone is

$$[CaCO_3 \xrightarrow{1200 \text{ K}} CaO + CO_2]$$

Ans. (1)

78. The relation between n_m , $(n_m = the number of$ permissible values of magnetic quantum number (m)) for a given value of azimuthal quantum number (1), is

$$(1) I = 2n_m + 1$$

$$(2) n_m = 2l^2 + 1$$

(3)
$$n_m = I + 2$$

(3)
$$n_m = l + 2$$
 (4) $l = \frac{n_m - 1}{2}$

Ans. (4)

- 79. The stability of Cu2+ is more than Cu+ salts in aqueous solution due to -
 - (1) enthalpy of atomization.
 - (2) hydration energy.
 - (3) second ionisation enthalpy.
 - (4) first ionisation enthalpy.

Ans. (2)

- 80. Which one of the following statements is **correct**?
 - (1) All enzymes that utilise ATP in phosphate transfer require Ca as the cofactor.
 - (2) The bone in human body is an inert and unchanging substance.
 - (3) Mg plays roles in neuromuscular function and interneuronal transmission.
 - (4) The daily requirement of Mg and Ca in the human body is estimated to be 0.2 - 0.3 g.
- Ans. (4)



- **81.** Which of the following reactions will NOT give primary amine as the product?
 - (1) CH₃CN $\xrightarrow{\text{(i)LiAlH}_4}$ Product
 - (2) $CH_3NC \xrightarrow{\text{(i)LiAlH}_4} Product$
 - (3) $CH_3CONH_2 \xrightarrow{(i)LiAlH_4} Product$
 - (4) CH₃CONH₂ Br₂/KOH → Product

Ans. (2)

82. The given compound

is an example of _____.

- (1) aryl halide
- (2) allylic halide
- (3) vinylic halide
- (4) benzylic halide

Ans. (2)

83. Complete the following reaction:

$$(A) \qquad (B) \qquad (C) \qquad (C)$$

Ans. (3)

(3)

- **84.** Homoleptic complex from the following complexes is:
 - (1) Diamminechloridonitrito-N-platinum (II)
 - (2) Pentaamminecarbonatocobalt (III) chloride
 - (3) Triamminetriaquachromium (III) chloride
 - (4) Potassium trioxalatoaluminate (III)

COOH

Ans. (4)

- **85.** Weight (g) of two moles of the organic compound, which is obtained by heating sodium ethanoate with sodium hydroxide in presence of calcium oxide is:
 - (1) 32
- (2) 30

(3) 18

(4) 16

Ans. (1)

- Chemistry: Section-B (Q. No. 086 to 100)
- 86. Consider the following reaction

$$CH_2-O \longrightarrow HI \longrightarrow A + B$$

Identify products A and B:-

(1)
$$A =$$
 CH_2OH and $B =$ I

(2) $A =$ CH_2I and $B =$ OH

(3) $A =$ CH_3 and $B =$ I

(4) $A =$ CH_3 and $B =$ OH

Ans. (2)

87. Which amongst the following will be most readily dehydrated under acidic conditions?

$$(1) \underset{\text{OH}}{\overset{\text{OH}}{\longrightarrow}} \underset{\text{OH}}{\overset{\text{OH}}{\longrightarrow}} \underset{\text{OH}}{\overset{\text{NO}_2}{\longrightarrow}} \underset{\text{OH}}{\overset{\text{NO}_2}{\longrightarrow}} \underset{\text{OH}}{\overset{\text{NO}_2}{\longrightarrow}} \underset{\text{CH}_3}{\overset{\text{NO}_2}{\longrightarrow}} \underset{\text{OH}}{\overset{\text{NO}_2}{\longrightarrow}} \underset{\text{CH}_3}{\overset{\text{NO}_2}{\longrightarrow}} \underset{\text{CH}_3}{\overset{\text{CH}_3}{\longrightarrow}} \underset{$$

Ans. (1)

- **88.** The equilibrium concentrations of the species in the reaction $A + B \rightleftharpoons C + D$ are 2, 3, 10 and 6 mol L^{-1} , respectively at 300 K. ΔG^0 for the reaction is (R = 2 cal/mol K)
 - (1) -137.26 cal
- (2) -1381.80 cal
- (3) -13.73 cal
- (4) 1372.60 cal

Ans. (2)

OH

89. Given below are two statements:

Statement I: The nutrient deficient water bodies lead to eutrophication.

Statement II: Eutrophication leads to decrease in the level of oxygen in the water bodies.

In the light of the above statements, choose the **correct** answer from the options given below:

- (1) Both Statement I and Statement II are false
- (2) Statement I is correct but Statement II is false.
- (3) Statement I is incorrect but Statement II is true.
- (4) Both Statement I and Statement II are true.

Ans. (3)

90. Which amongst the following options is the **correct** relation between change in enthalpy and change in internal energy?

(1) $\Delta H = \Delta U + \Delta n_a RT$

(2) $\Delta H - \Delta U = -\Delta nRT$

(3) $\Delta H + \Delta U = \Delta nR$

(4) $\Delta H = \Delta U - \Delta n_e RT$

Ans. (1)

91. Match List-I with List-II:

List-I List-II (Oxoacids of Sulphur)

A. Peroxodisulphuric acid

I. Two S-OH, Four S=O, One S-O-S

(Bonds)

- B. Sulphuric acid C. Pyrosulphuric acid
- II. Two S-OH, One S=O III. Two S-OH, Four S=O. One S-O-O-S

D. Sulphurous acid IV. Two S-OH, Two S=O Choose the correct answer from the options given


- (1) A-III, B-IV, C-I, D-II (2) A-I, B-III, C-IV, D-II
- (3) A-III, B-IV, C-II, D-I (4) A-I, B-III, C-II, D-IV

Ans. (1)

92. Identify the major product obtained in the following reaction:

$$+2[Ag(NH_3)_2]^+$$

+ 3 $^{-}$ OH $\stackrel{\Delta}{\longrightarrow}$ major product



Ans. (2)

- 93. Pumice stone is an example of -
 - (1) gel

- (2) solid sol
- (3) foam
- (4) sol

Ans. (2)

- 94. The reaction that does NOT take place in blast furnace between 900 K to 1500 K temperature range during extraction of iron is:
 - (1) FeO + CO \rightarrow Fe + CO,
 - (2) $C + CO_0 \rightarrow 2CO$
 - (3) CaO + SiO₂ → CaSiO₃
 - (4) Fe₂O₃ + CO → 2FeO + CO₂

Ans. (4)


- Which 95. of the following statements are **INCORRECT?**
 - A. All the transition metals except scandium form MO oxides which are ionic.
 - B. The highest oxidation number corresponding to the group number in transition metal oxides is attained in Sc.O. to Mn.O.
 - C. Basic character increases from V₂O₃ to V₂O₄ to
 - D. V_2O_4 dissolves in acids to give VO_4^{3-} salts.
 - E. CrO is basic but Cr₂O₃ is amphoteric.


Choose the **correct** answer from the options given

- (1) B and D only
- (2) C and D only
- (3) B and C only
- (4) A and E only

Ans. (2)

96. Consider the following compounds/species:





The number of compounds/species which obey Huckel's rule is

- (1) 6
- (2)2
- (3)5
- (4) 4

Ans. (4)

- 97. What fraction of one edge centred octahedral void lies in one unit cell of fcc?

- (2) $\frac{1}{4}$ (3) $\frac{1}{12}$ (4) $\frac{1}{2}$

Ans. (2)



98. Which complex compound is most stable?

(1)
$$\left[\text{Co} \left(\text{NH}_3 \right)_3 \left(\text{NO}_3 \right)_3 \right]$$

(2) [CoCl₂(en)₂] NO₃

(3) $\left[\operatorname{Co}\left(\operatorname{NH}_{3}\right)_{6}\right]_{9}\left(\operatorname{SO}_{4}\right)_{3}$

(4) $\left[\text{Co}\left(\text{NH}_{3}\right)_{4}\left(\text{H}_{2}\text{O}\right)\text{Br}\right]\left(\text{NO}_{3}\right)_{2}$

Ans. (2)

99. On balancing the given redox reaction,

$$aCr_2O_7^{2-} + bSO_3^{2-}(aq) + cH^+(aq) \rightarrow$$

$$2aCr^{3+}(aq) + bSO_4^{2-}(aq) + \frac{c}{2}H_2O(\ell)$$

the coefficients a, b and c are found to be, respectively -

(1) 3, 8, 1

(2) 1, 8, 3

(3) 8, 1, 3


(4) 1, 3, 8

Ans. (4)

100. Identify the final product [D] obtained in the following sequence of reactions.

$$CH_{3}CHO \xrightarrow{i) \text{ LiAlH}_{4}} [A] \xrightarrow{H_{2}SO_{4}} [B]$$

$$\longrightarrow [C] \xrightarrow{Na/dry \text{ ether}} [D]$$



(3) HC
$$\equiv$$
 C ^{Θ} Na $^{+}$ (4)

Ans. (4)

डॉक्टर ही डॉक्टर

आईये... अविरल क्लासेस....

जहां पर एक साधारण विद्यार्थी को असाधारण डॉक्टर बनाने की प्रक्रिया होती है....

छात्र-छात्राओं की पहली पसंद बना 'अविरल'





D.K. Mishra

Founder, Director & HOD-Physics Alumnus of IIT-Kanpur,
IIM-Lucknow & IIM-Raipur

AIR-1 (Two Times), 3, 4, 5, 7, 9 - NEET AIR-27, 73, 120, 223 - IIT-JEE

- 21 Yrs. of Teaching Experience
 10 Yrs. with 'Aakash Institute' as an Academic Head & Deputy Director
- Produced many single digit and double digit All India Ranks in NEET & IIT
- **Received several Academic Excellence Award** in various Forum of Government / News Channel / News Paper / NGO and Private Bodies
- Worked as a Sr. V.P. in Edtech Firm

Trained 2000+ Doctors 500+ IITians and still Counting

लगातार ९ वर्षों से सर्वश्रेष्ठ परिणाम



AFMC पणे मेरिट लिस्ट में 4 छात्र—छात्रायें चयनित









- सबसे ज्यादा क्लासेस 1500 से अधिक घंटे की कक्षायें।
- 20 पृष्टकी रंगीन बुकलेट।
- 32 से ज्यादा अनुभवी अध्यापकों का समूह। पिछले 9 सालों में 8 बार स्टेट टॉपर।
- क डी.के.मिश्रा जो स्वयं आईआईटी कानपुर और आ ायपुर से पढें हैंका शिक्षण अनुभव 21 वर्षों से अधिक है। द हा इंस्टीट्यूट में 10 वर्षों से अधिक उप निदेशक व एकेडी
- निदेशक भौतिक विञ्चन के इंडिया लेवल के शिक्षक हैं जो कई बार ऑल इंडिया रैंक 1 को पढा चुके हैं। कैंपस में मोबाईल फोन का प्रयोग पूर्णतः वर्जित।

- क्कायें ८६ डंच एलईडी स्कीन पर
- सप्ताहके ६ दिन कक्षायें तथा 7वें दिन टेस्ट।

One Year Target Program

Two Year Foundation Program One Year Foundation Program

Crash Course (NEET)

Two Year Classroom Program One Year Classroom Program

ADMISSIONS OPEN: 2023-24

(JEE I NEET) (XII Passed or Appeared) बैच प्रारंभ तिथि Batch - 1 : Already Started Batch - 2 : 7th June, 2023 Batch - 2 : 10th May, 2023 Batch - 5 : 4th July, 2023 Batch - 6 : 25th July, 2023

RAL CLASSES

JEE | NEET | FOUNDATIONS



















Video Solutions of Today's NEET-2023 Test Paper (Live)

@ Mishra Sir & Aviral Classes You The Channel (from 6:30PM onwards)

RAJPUR ROAD: BALLIWALA:

Cubic Plaza, Nr. Balliwala Flyover World Trade Tower, 99-Rajpur Road, Dehradun | GMS Road, Dehradun

Rahul Joshi : 79067 69745 Luv Dobhal : 76684 17858

VIKASNAGAR:

M: 79067 69745

M: 76684 17858

OPEN